

List of publications in peer reviewed Journals

Bijan Saha

Last updated November 6, 2018

Journal Publications

- [1] Bijan Saha:
Spinor field in Bianchi type-IX space-time
Canadian Journal of Physics **96** 1074 - 1084 (2018)
DOI [10.1139/cjp-2017-0711](https://doi.org/10.1139/cjp-2017-0711) [Impact Factor: 0.964]
ArXiv: [1705.07773](https://arxiv.org/abs/1705.07773) [gr-qc] (2017)
- [2] Bijan Saha:
Spinor field nonlinearity and space-time geometry
Нелинейность спинорного поля и геометрия пространства-времени
Physics of Particles and Nuclei **49**(2), 146 - 212 (2018)
DOI: [10.1134/S1063779618020065](https://doi.org/10.1134/S1063779618020065) [Impact Factor: 0.619]
- [3] Bijan Saha:
Nonlinear spinor field in non-diagonal Bianchi type space-time
EPJ Web of Conferences **173** 02018 (4 pages) (2018)
DOI [10.1051/epjconf/201817302018](https://doi.org/10.1051/epjconf/201817302018)
- [4] Bijan Saha:
Bianchi type-VIII spinor solutions
The European Physical Journal Plus **132** 547 (12 pages) (2017)
DOI [10.1140/epjp/i2017-11830-0](https://doi.org/10.1140/epjp/i2017-11830-0) [Impact Factor: 1.377]
- [5] Bijan Saha and Victor S Rikhvitsky:
Nonlinear Spinor Fields in LRS Bianchi type-I space-time: Theory and observation
Gravitation & Cosmology **23** 329 - 336 (2017)
DOI [10.1134/S0202289317040193](https://doi.org/10.1134/S0202289317040193) [Impact Factor: 0.716]
ArXiv: [1508.04677](https://arxiv.org/abs/1508.04677) [gr-qc] (2015)
- [6] Bijan Saha:
Nonlinear Spinor field in isotropic space-time and dark energy models
The European Physical Journal Plus **131** 242 - 17 (2016)
DOI [10.1140/epjp/i2016-16242-0](https://doi.org/10.1140/epjp/i2016-16242-0) [Impact Factor: 1.377]
ArXiv: [1606:00214](https://arxiv.org/abs/1606.00214) [gr-qc] (2016)
- [7] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-VI space-time

- The European Physical Journal Plus **131** 170 - 18 (2016)
 DOI [10.1140/epjp/i2016-16170-y](https://doi.org/10.1140/epjp/i2016-16170-y) [Impact Factor: 1.377]
 ArXiv: [1507.03847v1](https://arxiv.org/abs/1507.03847v1) [gr-qc] (2015)
- [8] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-III space-time
 International Journal of Theoretical Physics **55** 2259 - 2274 (2016)
 DOI [10.1007/s10773-015-2864-z](https://doi.org/10.1007/s10773-015-2864-z) [Impact Factor: 1.184]
 ArXiv: [1603.04623](https://arxiv.org/abs/1603.04623) [gr-qc] (2016)
- [9] Bijan Saha:
Spinor Field with Polynomial Nonlinearity in LRS Bianchi type-I space-time
 Canadian Journal of Physics **96** 116 - 121 (2016)
 DOI [10.1139/cjp-2015-0574](https://doi.org/10.1139/cjp-2015-0574) [Impact Factor: 0.964]
 ArXiv: [1507.06236](https://arxiv.org/abs/1507.06236) [gr-qc] (2015)
- [10] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-V space-time
 Chinese Journal of Physics **53** 110114-14 (2015)
 DOI [10.6122/CJP.20150713](https://doi.org/10.6122/CJP.20150713) [Impact Factor: 0.413]
 ArXiv: [1602.05767](https://arxiv.org/abs/1602.05767) [gr-qc] (2016)
- [11] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-VI₀ space-time
 The European Physical Journal Plus **130** 208 - 13 (2015)
 DOI [10.1140/epjp/i2015-15208-0](https://doi.org/10.1140/epjp/i2015-15208-0) [Impact Factor: 1.377]
 ArXiv: [1504.03883v1](https://arxiv.org/abs/1504.03883v1) [gr-qc] (2015)
- [12] Bijan Saha:
Interacting Scalar and Electromagnetic Fields in $f(R, T)$ Theory of Gravity
 International Journal of Theoretical Physics **54** 3776 - 3787 (2015)
 DOI [10.1007/s10773-015-2615-1](https://doi.org/10.1007/s10773-015-2615-1) [Impact Factor: 1.184]
 ArXiv: [1410.1738v1](https://arxiv.org/abs/1410.1738v1) [gr-qc]
- [13] Farook Rahman, Anirudh Pradhan, Nasr Ahmed, Saibal Ray, Bijan Saha and Moshir Rahman:
Fluid Sphere: Stability Problem and Dimensional Constraint
 International Journal of Modern Physics D **24**(6) 1550049 (14 pages) (2015)
 DOI: [10.1142/S0218271815500492](https://doi.org/10.1142/S0218271815500492) [Impact Factor: 1.741]
[1401.1402v2](https://arxiv.org/abs/1401.1402v2) [gr-qc]
- [14] Anirudh Pradhan and Bijan Saha:
Accelerating Dark Energy Models of the Universe in Anisotropic Bianchi Type Space-Times and Recent Observations

- Physics of Particles and Nuclei **46**(3) 310 - 346 (2015)
 DOI: [10.1134/S1063779615030028](https://doi.org/10.1134/S1063779615030028) [Impact Factor: 0.619]
- [15] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-I spacetime: Problems and Possibilities
 Astrophysics and Space Science **357**, 28 (2015)
 DOI: [10.1007/s10509-015-2291-x](https://doi.org/10.1007/s10509-015-2291-x) [Impact Factor: 2.263]
 ArXiv: [1409.4993v1](https://arxiv.org/abs/1409.4993v1) [gr-qc]
- [16] Anirudh Pradhan, Bijan Saha and Victor Rikhvitsky:
Bianchi type-I transit cosmological models with time dependent gravitational and cosmological constants: reexamined
 Indian Journal of Physics **89** 503 - 513 (2015)
 DOI: [10.1007/s12648-014-0612-5](https://doi.org/10.1007/s12648-014-0612-5) [Impact Factor: 1.377]
 ArXiv: [1308.4842v1](https://arxiv.org/abs/1308.4842v1) [physics.gen-ph]
- [17] Bijan Saha, Victor Rikhvitsky and Anirudh Pradhan:
Bianchi type I cosmological models with time dependent gravitational and cosmological constants: an alternative approach
 Romanian Journal of Physics **60** 3 - 14 (2015) [Impact Factor: 0.924]
- [18] Anirudh Pradhan, Nasr Ahmed and Bijan Saha:
Reconstruction of modified $f(R, T)$ with $\Lambda(T)$ gravity in general class of Bianchi cosmological models
 Canadian Journal of Physics **93**(6) 654 - 662 (2015)
 DOI:[10.1139/cjp-2014-0536](https://doi.org/10.1139/cjp-2014-0536) [Impact Factor: 0.964]
- [19] Mohd. Zeyauddin and Bijan Saha:
Bianchi type V bulk viscous cosmological models with particle creation in General Relativity
 The European Physical Journal Plus **129** 177 (23 Pages) (2014)
 DOI: [10.1140/epjp/i2014-14177-0](https://doi.org/10.1140/epjp/i2014-14177-0) [Impact Factor: 1.377]
 ArXiv: [1306.2168](https://arxiv.org/abs/1306.2168) [gr-qc]
- [20] Victor Rikhvitsky, Bijan Saha and Mihai Visinescu:
Magnetic Bianchi type II string cosmological model in loop quantum cosmology
 Astrophysics and Space Science **352** 255 - 261 (2014)
 DOI: [10.1007/s10509-014-1890-2](https://doi.org/10.1007/s10509-014-1890-2) [Impact Factor: 2.263]
 ArXiv: [1312.2385v1](https://arxiv.org/abs/1312.2385v1) [gr-qc]
- [21] Bijan Saha:
Isotropic and anisotropic dark energy models
 Physics of Particles and Nuclei **45** issue 2, 349 - 396 (2014)
 DOI:[10.1134/S1063779614020026](https://doi.org/10.1134/S1063779614020026) [Impact Factor: 0.619]

- [22] Bijan Saha:
Nonlinear Spinor Fields in Bianchi type-I spacetime reexamined
 International Journal of Theoretical Physics **53** 1109 - 1129 (2014)
 DOI: [10.1007/s10773-013-1906-7](https://doi.org/10.1007/s10773-013-1906-7) [Impact Factor: 1.184]
 ArXiv: [1302.1354](https://arxiv.org/abs/1302.1354) [gr-qc]
- [23] Bijan Saha:
Bianchi type-VI anisotropic dark energy model with varying EoS parameter
 International Journal of Theoretical Physics **52**, 3646 - 3657 (2013)
 DOI: [10.1007/s10773-013-1670-8](https://doi.org/10.1007/s10773-013-1670-8) [Impact Factor: 1.184]
 ArXiv: [1209.6029](https://arxiv.org/abs/1209.6029) [gr-qc]
- [24] Bijan Saha:
Bianchi type-V dark energy model with varying EoS parameter
 International Journal of Theoretical Physics **52**, 1314 - 1325 (2013)
 DOI: [10.1007/s10773-012-1447-5](https://doi.org/10.1007/s10773-012-1447-5) [Impact Factor: 1.184]
 ArXiv: [1209.6339](https://arxiv.org/abs/1209.6339) [gr-qc]
- [25] Mohd. Zeyauddin and Bijan Saha:
Bianchi type-VI cosmological model: A scale-covariant study
 Astrophysics and Space Science **343** 445-450 (2013)
 DOI: [10.1007/s10509-012-1228-x](https://doi.org/10.1007/s10509-012-1228-x) [Impact Factor: 2.263]
 ArXiv: [1205.5655](https://arxiv.org/abs/1205.5655) [gr-qc]
- [26] Bijan Saha:
Some remarks on Bianchi type-II, VIII and IX models
 Gravitation & Cosmology **19**(1), 65 - 69 (2013)
 DOI:[10.1134/S0202289313010088](https://doi.org/10.1134/S0202289313010088) [Impact Factor: 0.716]
 ArXiv: [1107.4469v1](https://arxiv.org/abs/1107.4469v1) [gr-qc]
- [27] Bijan Saha, H. Amirhashchi, and Anirudh Pradhan:
Two-Fluid Scenario for Dark Energy Models in an FRW Universe-Revisited
 Astrophysics and Space Science **342** 257 - 267 (2012)
 DOI:[10.1007/s10509-012-1155-x](https://doi.org/10.1007/s10509-012-1155-x) [Impact Factor: 2.263]
 ArXiv: [1108.2133](https://arxiv.org/abs/1108.2133) [gr-qc]
- [28] Bijan Saha and Anil Kumar Yadav:
Dark energy model with variable q and ω in LRS Bianchi-II space-time
 Astrophysics and Space Science **341** 651 - 656 (2012)
 DOI: [10.1007/s10509-012-1070-1](https://doi.org/10.1007/s10509-012-1070-1) [Impact Factor: 2.263]
 ArXiv: [1110.4887v1](https://arxiv.org/abs/1110.4887v1) [physics.gen-physics]
- [29] Victor Rikhvitsky, Bijan Saha and Mihai Visinescu:
Bianchi type-I string cosmological model in the presence of a magnetic field: classical versus loop quantum cosmology approaches

- Astrophysics and Space Science **339** 371-377 (2012)
 DOI: [10.1007/s10509-012-1000-2](https://doi.org/10.1007/s10509-012-1000-2) [Impact Factor: 2.263]
 ArXiv: [1111.3440v1](https://arxiv.org/abs/1111.3440v1) [gr-qc]
- [30] Anil Kumar Yadav and Bijan Saha:
LRS Bianchi-I Anisotropic Cosmological Model with Dominance of Dark Energy
 Astrophysics and Space Science **337** 759 - 765 (2012)
 DOI: [10.1007/s10509-011-0861-0](https://doi.org/10.1007/s10509-011-0861-0) [Impact Factor: 2.263]
 ArXiv: [1107.5470](https://arxiv.org/abs/1107.5470) [physics.gen-phys]
- [31] Bijan Saha:
Nonlinear Spinor Fields and its role in Cosmology
 International Journal of Theoretical Physics **51** 1812 - 1837 (2012)
 DOI [10.1007/s10773-011-1059-5](https://doi.org/10.1007/s10773-011-1059-5) [Impact Factor: 1.184]
- [32] Bijan Saha:
Nonlinear spinor field in Bianchi type-II spacetime
 The Open Nuclear & Particle Physics Journal **4** 1 - 3 (2011)
 DOI: [10.2174/1874415X01104010001](https://doi.org/10.2174/1874415X01104010001)
- [33] Anirudh Pradhan, H. Amirhashchi, and Bijan Saha:
An interacting and non-interacting two-fluid scenario for dark energy in FRW universe with constant deceleration parameter
 Astrophysics and Space Science **333** 343 - 350 (2011)
 DOI [10.1007/s10509-011-0626-9](https://doi.org/10.1007/s10509-011-0626-9) [Impact Factor: 2.263]
- [34] Anirudh Pradhan, H. Amirhashchi, and Bijan Saha:
An interacting two-fluid scenario for dark energy in FRW Universe
 Chinese Physics Letters **28**(3) 039801-4 (2011)
 DOI: [10.1088/0256-307X/28/3/039801](https://doi.org/10.1088/0256-307X/28/3/039801) [Impact Factor: 0.947]
 ArXiv: [1011.3940v2](https://arxiv.org/abs/1011.3940v2) [gr-qc]
- [35] Bijan Saha:
Bianchi type-II cosmological model: some remarks
 Central European Journal of Physics **9**(4), 939-941 (2011)
 DOI: [10.2474/s11534-011-0017-4](https://doi.org/10.2474/s11534-011-0017-4) [Impact Factor: 1.077]
 ArXiv: [1010.1855v1](https://arxiv.org/abs/1010.1855v1) [gr-qc]
- [36] Anirudh Pradhan, H. Amirhashchi, and Bijan Saha:
Bianchi type-I anisotropic dark energy model with constant deceleration parameter
 International Journal of Theoretical Physics **50** 2923 - 2938 (2011)
 DOI [10.1007/s10773-011-0793-z](https://doi.org/10.1007/s10773-011-0793-z) [Impact Factor: 1.184]
 ArXiv: [1010.1121v1](https://arxiv.org/abs/1010.1121v1) [gr-qc]
- [37] H. Amirhashchi, Anirudh Pradhan, and Bijan Saha:
Variable equation of state for Bianchi type-VI₀ dark energy models

- Astrophysics and Space Science **333** 295 - 303 (2011)
 DOI [10.1007/s10509-010-0577-6](https://doi.org/10.1007/s10509-010-0577-6) [Impact Factor: 2.263]
- [38] Yu.P. Rybakov, G.N. Shikin, Yu.A. Popov and Bijan Saha:
Scalar field in cosmology: Potential for isotropization and inflation
 International Journal for Theoretical Physics **50** 3421-3431 (2011)
 DOI [10.1007/s10773-011-0847-2](https://doi.org/10.1007/s10773-011-0847-2) [Impact Factor: 1.184]
 ArXiv:1006.2983v1 [gr-qc]
- [39] Yu.P. Rybakov, G.N. Shikin, Yu.A. Popov and Bijan Saha:
Electromagnetic field with induced massive term: Case with scalar field
 Central European Journal of Physics **9**(5), 1165 - 1172 (2011)
 DOI: [10.2478/s11534-011-0033-4](https://doi.org/10.2478/s11534-011-0033-4) [Impact Factor: 1.077]
 ArXiv: 1004.3654v1 [gr-qc]
- [40] Bijan Saha:
Spinor model of a perfect fluid and their applications in Bianchi type-I and FRW models
 Astrophysics and Space Science **331**(1), 243-255 (2011)
 DOI [10.1007/s10509-010-0419-6](https://doi.org/10.1007/s10509-010-0419-6) [Impact Factor: 2.263]
 arXiv: 0906.1474 [gr-qc]
- [41] Bijan Saha and Mihai Visinescu:
Bianchi type-VI model with cosmic strings in the presence of a magnetic field
 Romanian Journal of Physics **55**(9-10), 1064–1074 (2010) [Impact Factor: 0.924]
 ArXiv: 1005.4990v2 [gr-qc]
- [42] Bijan Saha:
Spinor Field with Induced Nonlinearity in Bianchi VI Cosmology: Exact and Numerical Solutions
 Gravitation & Cosmology **16**(2), 160-167 (2010)
 DOI:[10.1134/S0202289310020106](https://doi.org/10.1134/S0202289310020106) [Impact Factor: 0.716]
- [43] Mihai Visinescu and Bijan Saha:
Cosmological string model in the presence of a magnetic field: Spinor approach and quantum loop effects
 Romanian Journal of Physics **55**(5-6), 645 - 655 (2010) [Impact Factor: 0.924]
- [44] Bijan Saha and Mihai Visinescu:
Bianchi type-I model with cosmic string in the presence of a magnetic field: spinor description
 International Journal of Theoretical Physics **49** 1411-1421 (2010)
 DOI: [10.1007/s10773-010-0319-0](https://doi.org/10.1007/s10773-010-0319-0) [Impact Factor: 1.184]
 arXiv: 0906.0156 [gr-qc]

- [45] Bijan Saha:
Spinor model of a perfect fluid: examples
 Romanian Reports in Physics **62**(1), 209-216 (2010) [Impact Factor: 1.517]
[arXiv: 0902.2097 \[gr-qc\]](#).
- [46] Bijan Saha:
Spinor model of a perfect fluid
 Central European Journal of Physics **8**(6) 920-923 (2010)
 DOI:10.2478/s11534-010-0019-7 [Impact Factor: 1.077]
[arXiv: 0901.1387 \[gr-qc\]](#).
- [47] Bijan Saha, Victor Rikhvitsky and Mihai Visinescu:
Bianchi type-I string cosmological model in the presence of a magnetic flux: exact and qualitative solutions
 Central European Journal of Physics **8**(1), 113 - 119 (2010)
 DOI:10.2478/s11534-009-0071-3 [Impact Factor: 1.077]
[arXiv: 0812.1443 \[gr-qc\]](#)
- [48] Bijan Saha:
Interacting spinor and scalar fields in Bianchi type-I Universe filled with viscous fluid: exact and numerical solutions
 Gravitation & Cosmology **15**(4), 353-361 (2009)
 DOI:10.1134/S0202289309040112 [Impact Factor: 0.716]
[arXiv: gr-qc/0703124](#)
- [49] Bijan Saha:
Early inflation, isotropization and late-time acceleration of a Bianchi type-I universe
Ранняя инфляция, изотропизация и позднее ускорение Вселенной типа Бианки-I
 Physics of Particles and Nuclei **40**(5), 656 - 673 (2009)
 DOI:10.1134/S1063779609050037 [Impact Factor: 0.619]
- [50] Bijan Saha and Victor Rikhvitsky:
Nonlinear spinor fields in anisotropic Universe filled with viscous fluid: Exact solutions and qualitative analysis
Нелинейные спинорные поля в анизотропной Вселенной, заполненной вязкой жидкостью: точные решения и качественный анализ
 Physics of Particles and Nuclei **40**(5), 612 - 655 (2009)
 DOI:10.1134/S1063779609050025 [Impact Factor: 0.619]
- [51] Victor Rikhvitsky, Bijan Saha and Mihai Visinescu:
A String Cosmological Model of Bianchi Type-I in the Presence of a Magnetic Flux
 in PROCEEDINGS OF THE PHYSICS CONFERENCE: TIM - 08, AIP

- Conference Proceedings 1131, P. 11 - 16 (2009)
 DOI:10.1063/1.3153431
- [52] Bijan Saha and Victor Rikhvitsky:
Anisotropic cosmological models with spinor and scalar fields and viscous fluid in presence of a Λ term: qualitative solutions
 Journal of Mathematical Physics **49**, 112502 (2008)
 DOI:10.1063/1.3005642 [Impact Factor: 1.243]
 arXiv: 0803.3544v2[gr-qc]
- [53] Bijan Saha and Mihai Visinescu:
String cosmological model in the presence of a magnetic flux
 Astrophysics and Space Science **315**, 99 - 104 (2008)
 DOI: 10.1007/s10509-008-9804-9 [Impact Factor: 2.263]
 arXiv: 0803.2414[gr-qc].
- [54] Bijan Saha and Victor Rikhvitsky:
Anisotropic cosmological models with spinor field and viscous fluid in presence of a Λ term: qualitative solutions
 Journal Physics A: Mathematical and Theoretical **40** 14011-14027 (2007)
 DOI:10.1088/1751-8113/40/46/013 [Impact Factor: 1.583]
 arXiv: 0705.3128V1[gr-qc]
- [55] Bijan Saha:
Nonlinear spinor field in Bianchi type-I Universe filled with viscous fluid: numerical solutions
 Astrophysics and Space Science **312** 3 - 11, (2007)
 DOI: 10.1007/s10509-007-9579-4 [Impact Factor: 2.263]
 arXiv: gr-qc/0703085
- [56] Bijan Saha:
Nonlinear spinor field in Bianchi type-I cosmology: accelerated regimes
 Romanian Reports in Physics **59**(2) 649-660 (2007) [Impact Factor: 1.517]
 arXiv: gr-qc/0608047
- [57] Bijan Saha:
Nonlinear spinor field in Bianchi type-I cosmology: inflation, isotropization, and late time acceleration
 Physical Review D **74**, 124030 (2006)
 DOI:http://dx.doi.org/10.1103/PhysRevD.74.124030 [Impact Factor: 3.865]
- [58] Bijan Saha:
Spinor fields in Bianchi type-I Universe
 Physics of Particles and Nuclei **37** Suppl. 1, S13 - S44 (2006)
 DOI:10.1134/S1063779606070021 [Impact Factor: 0.619]

- [59] Bijan Saha, Victor Rikhvitsky and Mihai Visinescu:
Bel-Robinson tensor and Dominant Property in the Bianchi type I universe
 Modern Physics Letters A **21**(11) 847 - 861 (2006)
 DOI:10.1142/S0217732306020196 [Impact Factor: 1.198]
 arXiv: gr-qc/0512051
- [60] Bijan Saha:
Spinor field and accelerated regimes in cosmology
 Gravitation & Cosmology **12** N. 2-3 (46-47), 215-218 (2006) [Impact Factor: 0.716]
 arXiv: gr-qc/0512050
- [61] Bijan Saha:
Anisotropic cosmological models with perfect fluid and dark energy reexamined
 International Journal of Theoretical Physics. **45**(5) 983 - 995 (2006)
 DOI: 10.1007/s10773-006-9089-0 [Impact Factor: 1.184]
 arXiv: gr-qc/0501067
- [62] Bijan Saha:
Anisotropic cosmological models with a perfect fluid and a Λ term
 Astrophysics and space science **302**, 83 - 91 (2006)
 DOI: 10.1007/s10509-005-9008-5 [Impact Factor: 2.263]
 arXiv: gr-qc/0411080
- [63] Bijan Saha and V. Rikhvitsky:
Bianchi type I universe with viscous fluid and a Λ term: A qualitative analysis
 Physica D **219**, 168-176 (2006)
 DOI:10.1016/j.physd.2006.06.003 [Impact Factor: 1.636]
 arXiv: gr-qc/0410056
- [64] Bijan Saha, Victor Rikhvitsky and Mihai Visinescu:
Bel-Robinson tensor for the Bianchi type I universe
 Romanian Report in Physics **57**(4) 561-572, (2005) [Impact Factor: 1.517]
- [65] Bijan Saha:
Anisotropic cosmological models with perfect fluid and dark energy
 Chinese Journal of Physics **43** (6), 1035-1043 (2005) [Impact Factor: 0.413]
 arXiv: gr-qc/0412078
- [66] Bijan Saha:
Interacting scalar and spinor fields in Bianchi type I universe filled with magneto-fluid
 Astrophysics and Space Science **299** (1), 149 - 158 (2005)
 DOI:10.1007/s10509-005-5162-z [Impact Factor: 2.263]
 arXiv: gr-qc/0309062

- [67] Bijan Saha:
Bianchi type Universe with viscous fluid
 Modern Physics Letters A **20** (28) 2127 - 2143 (2005)
 DOI:10.1142/S021773230501830X [Impact Factor: 1.198]
 arXiv: gr-qc/0409104
- [68] Bijan Saha:
Nonlinear spinor field in Bianchi type-I Universe filled with viscous fluid: some special solutions
 Romanian Report in Physics **57** (1),7-24 (2005) [Impact Factor: 1.517]
- [69] Bijan Saha and Shikin, G.N.:
Static plane-symmetric nonlinear spinor and scalar fields in GR
 International Journal of Theoretical Physics, **44** (9), 1459 - 1494 (2005)
 DOI: 10.1007/s10773-005-4780-0 [Impact Factor: 1.184]
- [70] Bijan Saha and Todor Boyadjiev:
Bianchi type-I cosmology with scalar and spinor fields
 Physical Review D **69**, 124010(2004)
 DOI:http://dx.doi.org/10.1103/PhysRevD.69.124010 [Impact Factor: 3.865]
 arXiv: gr-qc/0311045
- [71] Bijan Saha:
Nonlinear Spinor Field in cosmology
 Physical Review D **69**, 124006 (2004)
 DOI:http://dx.doi.org/10.1103/PhysRevD.69.124006 [Impact Factor: 3.865]
 arXiv: gr-qc/0308088
- [72] Bijan Saha and Shikin, G.N.:
Plane-symmetric solitons of spinor and scalar fields
 Czechoslovak Journal of Physics, **54** (6), 597 - 620 (2004)
 DOI:10.1023/B:CJOP.0000029690.61308.a5 [Impact Factor: 0.574]
- [73] Bijan Saha and Shikin, G.N.:
Nonlinear Spinor Field: Plane-symmetric Solutions
 Journal of Theoretical, Mathematical and Computational Physics. **5**, (1) 54, (2002)
- [74] Bijan Saha:
Dirac Spinor in Bianchi-I Universe with time dependent Gravitational and Cosmological Constants
 Modern Physics Letters A, **16**(20), 1287 - 1296 (2001)
 DOI:10.1142/S0217732301004546 [Impact Factor: 1.198]
 arXiv: gr-qc/0009002
- [75] Bijan Saha:
Spinor field in Bianchi type-I Universe: regular solutions

- Physical Review D **64**, 123501 (2001)
 DOI:10.1103/PhysRevD.64.123501 [Impact Factor: 3.865]
 arXiv:gr-qc/0107013
- [76] Rybakov, Yu. P. and Bijan Saha:
Soliton Model of Extended Quantum Particles
 Annales de la Fondation Louis de Broglie, **26**(special issue), 381-388 (2001)
- [77] Bijan Saha:
Quadrupole Contribution in Semiclassical Radiation Theory
 Nuovo Cimento B, **116**, 997-1003 (2001)
 arXiv:quant-ph/0011045
- [78] Dubovik, V.M., Saha, B. and Rubin, J.L.:
Lorentz transformation of toroid polarization
 Ferroelectrics Letters **27**(1-2), 1 - 6 (2000)
 DOI:10.1080/07315170008204647 [Impact Factor: 0.581]
- [79] Dubovik, V.M., Martsenyuk, M.A. and Bijan Saha:
Material Equations of Electrodynamics with Toroidal Polarizations
 Physical Review E **61**(6), 7087 - 7097 (2000)
 DOI:10.1103/PhysRevE.61.7087 [Impact Factor: 1.779]
- [80] Bijan Saha:
Solitons of scalar field with induced nonlinearity and their stability
 International Journal of Modern Physics A **15**(10), 1481 - 1496 (2000)
 DOI:10.1142/S0217751X00000665 [Impact Factor: 1.699]
- [81] Pestov, A.B. and Bijan Saha:
On the Natural Gauge Fields of Manifolds
 Modern Physics Letters A, **15**(32), 1991 - 2005 (2000)
 DOI:10.1142/S0217732300002504 [Impact Factor: 1.198]
 arXiv:hep-th/9807204
- [82] Dubovik, V.M. and Saha, B.:
Electrodynamics with Toroid Polarization
 Turkish Journal of Physics **23**(7-12), 1065-1074 (1999)
 arXiv:cond-mat/9806043
- [83] Saha, B.:
Scalar Field with Induced Nonlinearity: Regular Solutions and their Stability
 Journal of Theoretical, Mathematical and Computational Physics **2** (1), 15-26
 (1999) [authors-pdf]
- [84] Rybakov, Yu. P., Saha, B. and Shikin, G.N.:
Droplets in General Relativity: Exact Self-Consistent Solutions to the Interacting

Scalar and Electromagnetic Field Equations

Gravitation & Cosmology **4** (2(14)), 114-120 (1998) [Impact Factor: 0.716]

[arXiv:gr-qc/9603032](#)

[85] Saha B. and Shikin, G.N.:

Nonlinear Spinor Field in Bianchi type-I Universe filled with Perfect Fluid: Exact Self-consistent Solutions

Journal of Mathematical Physics **38** (10), 5305 - 5318 (1997)

DOI:10.1063/1.531944 [Impact Factor: 1.243]

[arXiv:gr-qc/9609055](#)

[86] Saha B. and Shikin, G.N.:

Interacting Spinor and Scalar Fields in Bianchi Type I Universe Filled with Perfect Fluid: Exact Self-consistent Solutions

General Relativity and Gravitation **29** (9), 1099-1112, (1997)

DOI:10.1023/A%3A1018887024268 [Impact Factor: 1.771]

[arXiv:gr-qc/9609056](#)

[87] Rybakov, Yu. P., Saha, B. and Shikin, G.N.:

Solitons of Nonlinear Scalar Electrodynamics in General Relativity

International Journal of Theoretical Physics **36** (6), 1475 - 1494 (1997)

DOI:10.1007/BF02435941 [Impact Factor: 1.184]

[arXiv:gr-qc/9612006](#)

[88] Dubovik, V.M., Martsenyuk, M.A. and Saha, B.:

Generalized Equations of Electrodynamics of Continuous Media

Proceedings of the Present Status of the Quantum Theory of Light, Kluwer Academic Publishers, pp. 141-150, (1997) [[authors-pdf](#)]

[89] Dubovik, V.M. and Saha, B.:

*On Toroidal Polarization of Magnetic (Spinor) media and on Multipole Radiation
О торoidalной поляризации магнитной (спиновой) среды и о мультипольном излучении*

Izvestia Akademii Nauk, Physics **60** (5), 63-68, (1996) [in Russian] [[authors-pdf](#)]

[90] Rybakov, Yu.P. and Saha, B.:

Interaction of Charged 3D Soliton with Coulomb Center

Physics Letters **A 222**(1), 5 - 13 (1996)

DOI:10.1016/0375-9601(96)00585-3 [Impact Factor: 1.683]

[arXiv:atom-ph/9603004](#)

[91] Rybakov, Yu.P. and Saha, B.:

Soliton Model of Atom

Foundations of Physics **25** (12), 1723 - 1731 (1995)

DOI:10.1007/BF02057884 [Impact Factor: 1.034]

- [92] Alvarado, R., Rybakov, Yu.P., Saha, B., and Shikin, G.N.:
Exact Self-Consistent Solutions to the Interacting Spinor and Scalar Field Equations in Bianchi Type-I Space-Time
 Communications in Theoretical Physics **4** (2), 247-262 (1995)
[arXiv: gr-qc/9603035](https://arxiv.org/abs/gr-qc/9603035)
- [93] Alvarado, R., Rybakov, Yu.P., Saha, B., and Shikin, G.N.:
Interacting Spinor and Scalar Fields: Exact Self-Consistent Solutions in Bianchi Type-I Space-Time
Взаимодействующие спинорное и скалярное поля: точные самосогласованные решения в пространстве типа Бианки-I.
 Izvestia VUZov Physics **38** (7) 53 - 58 (1995) [in Russian].
 Russian Physics Journal **38** (7) 700 - 705 (1995)
[DOI:10.1007/BF00560272](https://doi.org/10.1007/BF00560272)
- [94] Rybakov, Yu.P., Saha, B., Shikin, G.N.:
Nonlinear Spinor Fields in Bianchi-I-Type Space: Exact Self-Consistent Solutions
Нелинейные спинорные поля в пространстве типа Бианки I: Точные самосогласованные решения
 Izvestia VUZov, Physics, **37** (7) 40 - 45 (1994) [in Russian].
 Russian Physics Journal **37** (7) 630 - 635 (1994)
[DOI:10.1007/BF00559194](https://doi.org/10.1007/BF00559194)
- [95] Rybakov, Yu.P., Saha, B., Shikin, G.N.:
Exact Self-Consistent Solutions to Nonlinear Spinor Field Equations in Bianchi Type-I Space-Time
 Communications in Theoretical Physics **3** (2), 199-210 (1994)
- [96] Rybakov, Yu.P., Saha, B., Shikin, G.N.:
Droplet-like Solutions to the Equations of Scalar Nonlinear Electrodynamics in General Relativity
 Communications in Theoretical Physics **3** (1), 67-80 (1994)
- [97] Rybakov, Yu.P., Saha, B., Shikin, G.N.:
Selfconsistent droplet like solutions to the equations of electromagnetic field with induced nonlinearity
Самосогласованные дроплетоподобные решения уравнения электромагнитного поля с индуцированной нелинейностью.
 Izvestia VUZov, Physics **35** (10) 112 - 116 (1992) [in Russian].
 Russian Physics Journal **35** (10) 987 - 990 (1992)
[DOI:10.1007/BF00559900](https://doi.org/10.1007/BF00559900)

Monographs

- [98] Saha, Bijan:
Spinor Field in the evolution of the Universe
Spinor field as the source of isotropization and accelerated expansion of the Universe
Спинорное поле в эволюции Вселенной
Спинорное поле как источник изотропизации и ускоренного расширения Вселенной
LAP LAMBERT Academic Publishing
Project No: 581, ISBN 978-3-8433-0565-5, 260 pp. (2011) [in Russian].
- [99] Saha, Bijan:
Spinor fields in anisotropic cosmology
Спинорные поля в анизотропной космологии
D.Sc. Thesis
Dubna, 248 pp. (2009) [in Russian].
- [100] Saha, Bijan:
Multidimensional solitons in nonlinear models with gravitation
Многомерные солитоны в нелинейных моделях с гравитацией
Ph.D. Thesis Moscow, 85 pp. (1993) [in Russian].